


THE VISUAL DICTIONARY of the EARTH


MINERALS



WAVELLITE




ORANGE CITRINE




CYANOTRICHITE


GLOBAL WIND SYSTEM



GRAND CANYON




EARTHQUAKE



EKMAN SPIRAL




FOSSIL FERN




FOLDS



LIMESTONE
ROCK CYCLE




Secondary conduit




STRUCTURE OF A VOLCANO

HIMALAYAS



Mineral spring

STALAGMITES



TUFA STALAGMITE

Continental slope

Scabed

Sedimentary rock

Layers of sediment



STALAGMITIC BOSS

Igneous rock


Metamorphic rock

ECCIA




EYEWITNESS VISUAL DICTIONARIES

THE VISUAL
DICTIONARY *of the*
EARTH




ACTIVE VOLCANO


STRUCTURE OF A HURRICANE




STRUCTURE OF THE EARTH




GRABEN (BLOCK-FAULT) LAKE



LAVA SPRING





FEATURES OF A COASTLINE



EYEWITNESS VISUAL DICTIONARIES

THE VISUAL
DICTIONARY *of the*
EARTH



DORLING KINDERSLEY
LONDON • NEW YORK • STUTTGART




A DORLING KINDERSLEY BOOK

PROJECT ART EDITOR JOHNNY PAU
DESIGNER PAUL CALVER


PROJECT EDITOR GEOFFREY STALKER
CONSULTANT EDITOR MARTYN BRAMWELL

MANAGING ART EDITOR PHILIP GILDERDALE
SENIOR EDITOR MARTYN PAGE
MANAGING EDITOR RUTH MIDGLEY


PHOTOGRAPHY ANNA HODGSON, ANDY CRAWFORD
ILLUSTRATIONS COLIN ROSE, JOHN TEMPERTON
PRODUCTION JAYNE SIMPSON



MOUNTAIN



**FORMATION OF ROSSBY WAVE
IN THE JET STREAM**



FIRST PUBLISHED IN GREAT BRITAIN IN 1993
BY DORLING KINDERSLEY LIMITED,
9 HENRIETTA STREET, LONDON WC2E 8PS

COPYRIGHT © 1993 DORLING KINDERSLEY LIMITED, LONDON

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION
MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM,
OR TRANSMITTED IN ANY FORM OR BY ANY MEANS,
ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING
OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION
OF THE COPYRIGHT OWNER.





A CIP CATALOGUE RECORD FOR THIS BOOK IS AVAILABLE FROM THE BRITISH LIBRARY

ISBN 0 7513 1035 2




REPRODUCED BY COLOURSCAN, SINGAPORE
PRINTED AND BOUND BY ARNOLDO MONDADORI, VERONA, ITALY

10/10/94


Contents



PLANET EARTH 6
EARTH'S PHYSICAL FEATURES 8
GEOLOGICAL TIME 10
EARTH'S CRUST 12
FAULTS AND FOLDS 14
MOUNTAIN BUILDING 16
VOLCANOES 18
THE ROCK CYCLE 20
MINERALS 22
MINERAL FEATURES 24
IGNEOUS AND METAMORPHIC ROCKS 26
SEDIMENTARY ROCKS 28
FOSSILS 30
MINERAL RESOURCES 32
WEATHERING AND EROSION 34
CAVES 36
GLACIERS 38
RIVERS 40
RIVER FEATURES 42
LAKES AND GROUNDWATER 44
COASTLINES 46
OCEANS AND SEAS 48
THE OCEAN FLOOR 50
THE ATMOSPHERE 52
WEATHER 54
EARTH DATA 56
GLOSSARY 59
INDEX 60
ACKNOWLEDGMENTS 64



Planet Earth




THE EARTH


THE EARTH IS ONE OF THE NINE planets that orbit the Sun, which itself is just one of the approximately 100 billion stars in our galaxy – the Milky Way. Earth is the only planet that is known to support life. It is able to do so because it is the right distance from the Sun. If it were any nearer, conditions would be too hot for life; any farther away and it would be too cold. In addition, the Earth is the only planet known to have liquid water in large quantities. Its

atmosphere helps to screen out some of the harmful radiation from the Sun, and also shields the planet from impacts by meteorites. The Earth consists of four main layers: an inner core, outer core, mantle, and crust. At the heart of the planet is the solid inner core, with a temperature of about 4,000°C. The heat from the inner core causes material in the molten outer core and mantle to circulate in convection currents. It is thought that these convection currents generate the Earth's magnetic field, which extends into space as the magnetosphere.

EARTH'S COORDINATE SYSTEM



EARTH'S PLACE IN THE SOLAR SYSTEM



STRUCTURE OF THE EARTH

Crust of silicate material about 6-40 km thick

Mohorovicic discontinuity (boundary between the crust and mantle)

Mantle of mostly solid silicate material about 2,800 km thick


Convection current

Gutenberg discontinuity (boundary between the outer core and mantle)


Molten outer core of iron and nickel about 2,300 km thick

Solid inner core of iron and nickel about 2,400 km in diameter

COMPOSITION OF THE EARTH




EARTH'S MAGNETOSPHERE




Earth's physical features

MOST OF THE EARTH'S SURFACE (about 70 per cent) is covered with water. The largest single body of water, the Pacific Ocean, alone covers about 50 per cent of the surface. Most of the land is distributed as seven continents; these are (from largest to smallest) Asia, Africa, North America, South America, Antarctica, Europe, and Australasia. The physical features of the land are remarkably varied. Among the most notable are mountain ranges, rivers, and deserts. The largest mountain ranges – the Himalayas in Asia and the Andes in South America – extend for thousands of kilometres. The Himalayas include the world's highest mountain, Mount Everest (8,848 metres). The longest rivers are the River Nile in Africa (6,695 kilometres) and the Amazon River in South America (6,437 kilometres). Deserts cover about 20 per cent of the total land area. The largest is the Sahara, which covers nearly a third of Africa. The Earth's surface features can be represented in various ways. Only a globe can correctly represent areas, shapes, sizes, and directions, because there is always distortion when a spherical surface – the Earth's, for example – is projected on to the flat surface of a map. Each map projection is therefore a compromise: it shows some features accurately but distorts others. Even satellite mapping does not produce completely accurate maps, although they can show physical features with great clarity.

EXAMPLES OF MAP PROJECTIONS





CYLINDRICAL PROJECTION




CYLINDRICAL-PROJECTION MAP

SATELLITE MAPPING OF THE EARTH







CONICAL
PROJECTION




CONICAL-
PROJECTION MAP



AZIMUTHAL
PROJECTION




AZIMUTHAL-
PROJECTION MAP




MODIFIED
AZIMUTHAL-PROJECTION MAP

SATELLITE MAP OF THE EARTH




Geological time



THE EARTH FORMED FROM A CLOUD OF DUST and gas drifting through space about 4,600 million years ago. Dense minerals sank to the centre while lighter ones formed a thin rocky crust. However, the first known life-forms – bacteria and blue-green algae – did not appear until about 3,500 million years ago, and it was only about 570 million years ago that more complex plants and animals began to develop. Since then, thousands of animal and plant species have evolved; some have thrived and others, such as the dinosaurs, have died out. Like the species that inhabit it, the Earth itself is continually changing. The continents neared their present locations about 50 million years ago, but are still drifting slowly over the planet's surface, and mountain ranges such as the Himalayas – which began to form 40 million years ago – are continually being built up and worn away. Climate is also subject to change: the Earth has undergone a series of ice ages and glacial periods (the most recent glacial period occurred about 20,000 years ago) interspersed with warmer periods.



GEOLOGICAL TIMESCALE




EVOLUTION OF THE EARTH



Earth's crust

THE EARTH'S CRUST IS THE SOLID OUTER shell of the Earth. It includes continental crust (about 40 kilometres thick) and oceanic crust (about six kilometres thick). The crust and the topmost layer of the mantle form the lithosphere. The lithosphere consists of semi-rigid plates that move relative to each other on the underlying asthenosphere (a partly molten layer of the mantle). This process is known as plate tectonics. Where two plates move apart, there are rifts in the crust. In mid-ocean, this movement results in sea-floor spreading and the formation of ocean ridges; on continents, crustal spreading can form rift valleys. When plates move towards each other, one may be subducted beneath (forced under) the other. In mid-ocean, this process results in ocean trenches, seismic activity, and arcs of volcanic islands. Mountains may be uplifted where oceanic crust is subducted beneath continental crust, or where continents collide (see pp. 16-17). Plates may also slide past each other – along the San Andreas fault, for example. Plate tectonics helps explain continental drift, the theory that the world's continents moved together about 175 million years ago to form a single landmass called Pangaea, which has subsequently split up.

ELEMENTS IN THE EARTH'S CRUST



FEATURES OF PLATE MOVEMENTS

Ridge where magma is rising to form new oceanic crust

Region of sea-floor spreading

Ocean trench formed where oceanic crust is forced under continental crust

Subduction zone

Rift formed where two plates are moving apart

Magma (molten rock) erupts at rift

Magma rises to form a hot spot



Volcano develops over hot spot and builds up to form an island

Volcanic island that originally formed over hot spot


Oceanic crust melts

Magma rises to form a volcano

MAJOR PLATES OF THE EARTH'S CRUST




CONTINENTAL DRIFT




Faults and folds

THE CONTINUOUS MOVEMENT of the Earth's crustal plates (see pp. 12-13) can squeeze, stretch, or break rock strata, deforming them and producing faults and folds. A fault is a fracture in a rock along which there is movement of one side relative to the other. The movement can be vertical, horizontal, or oblique (vertical and horizontal). Faults develop when rocks are subjected to compression or tension. Faults tend to occur in hard, rigid rocks, which are more likely to break rather than bend. The smallest faults occur in single mineral crystals and are microscopically small, whereas the largest – the Great Rift Valley in Africa – is more than 9,000 kilometres long. Movement along faults is a common cause of earthquakes. A fold is a bend in a rock layer caused by compression. Folds occur in elastic rocks, which tend to bend rather than break. The two main types of folds are anticlines (upfolds) and synclines (downfolds). Folds vary in size from a few millimetres long to folded mountain ranges hundreds of kilometres long. In addition to faults and folds, other features associated with rock deformations include boudins, mullions, and *en échelon* fractures.


STRUCTURE OF A FOLD




STRUCTURE OF A FAULT




STRUCTURE OF A SLOPE




FOLDED ROCK




SECTION THROUGH FOLDED ROCK STRATA THAT HAVE BEEN ERODED





EXAMPLES OF FOLDS



EXAMPLES OF FAULTS



SMALL-SCALE ROCK DEFORMATIONS




Upper Carboniferous Millstone Grit

Upper Carboniferous Coal Measures

Mountain building

THE PROCESSES INVOLVED in mountain building – termed orogenesis – occur as a result of the movement of the Earth's crustal plates (see pp. 12-13). There are three main types of mountains: volcanic mountains, fold mountains, and block mountains. Most volcanic mountains are formed along plate boundaries where plates come together or move apart (see pp. 18-19) and lava and other debris is ejected on to the Earth's surface. The lava and debris may build up to form a dome around the vent of a volcano. Fold mountains are




BHAGIRATHI PARBAT, HIMALAYAS


formed where plates push together and cause the rock to buckle upwards. Where oceanic crust meets less dense continental crust, the oceanic crust is forced under the continental crust. The continental crust is buckled by the impact, and folded mountain ranges, such as the Appalachian Mountains in North America, are formed. Fold mountains are also formed where two areas of continental crust meet. The

Himalayas, for example, began to form when India collided with Asia, buckling the sediments and parts of the oceanic crust between them. Block mountains are formed when a block of land is uplifted between two faults as a result of compression or tension in the Earth's crust (see pp. 14-15). Often, the movement along faults takes place gradually over millions of years. However, two plates may slide past each other suddenly along a faultline – the San Andreas fault, for example – causing earthquakes.


EXAMPLES OF MOUNTAINS




VOLCANIC MOUNTAIN



FOLD MOUNTAIN




BLOCK-FAULT MOUNTAIN







UPLIFTED BLOCK-FAULT MOUNTAIN

FORMATION OF THE HIMALAYAS



STAGES IN THE FORMATION OF THE HIMALAYAS



SAN ANDREAS FAULT




EARTHQUAKES


Epicentre (point on Earth's surface directly above focus)

Shock waves radiate outwards from focus

Isosismal lines join places with equal intensity of shock



ANATOMY OF AN EARTHQUAKE



PATH OF SHOCK WAVES THROUGH THE EARTH

Volcanoes

VOLCANOES ARE VENTS OR FISSURES in the Earth's crust through which magma (molten rock that originates from deep beneath the crust) is forced on to the surface as lava. They occur most commonly along the boundaries of crustal plates; most volcanoes lie in a belt called the "Ring of Fire", which runs along the edge of the Pacific Ocean. Volcanoes can be classified according to the violence and frequency of their eruptions. Non-explosive volcanic eruptions generally occur where crustal plates pull apart.

These eruptions produce runny basaltic lava that spreads quickly over a wide area to form relatively flat cones. The most violent eruptions take place where plates collide. Such eruptions produce thick rhyolitic lava and may also blast out clouds of dust and pyroclasts (lava fragments). The lava does not flow far before cooling and therefore builds up steep-sided, conical volcanoes. Some volcanoes produce lava and ash eruptions, which build up composite volcanic cones. Volcanoes that erupt frequently are described as active; those that erupt rarely are termed dormant; and those that have stopped erupting altogether are termed extinct. As well as the volcanoes themselves, other features associated with volcanic regions include geysers, hot mineral springs, solfataras, fumaroles, and bubbling mud pools.

Folded, rope-like surface




PAHOEHOE
(ROPY LAVA)




HORU GEYSER,
NEW ZEALAND


VOLCANO TYPES




FISSURE VOLCANO




BASIC SHIELD VOLCANO




DOMO VOLCANO



ASH-CINDER VOLCANO




COMPOSITE VOLCANO




CALDERA VOLCANO


HOW VOLCANIC PLUGS BECOME EXPOSED



PLUG FORMATION



INITIAL EROSION AROUND PLUG



COMPLETE DENUDATION OF PLUG

LAPILLI (LAVA FRAGMENTS)



TYPES OF LAVA


Scoria (sharp, angular chunks)

Dribblets of lava from roof of tunnel

AA (BLOCKY LAVA)

REMELTED LAVA

LOCATION OF VOLCANOES



STRUCTURE OF A VOLCANO

Steeply sloping cone consisting of numerous layers of ash and lava

Laccolith
Secondary conduit

Plug (solidified lava)

Vent

Main conduit

Volcanic ash

Cinder cone

Mineral spring

Magma reservoir

Lava flow

Groundwater

VOLCANIC FEATURES

Sulphurous gases

Jet of hot water and steam

Water heated by hot rocks

Steam pressure builds up

Hot water

Mud and surface deposits mixed with hot water

Superheated water

Steam

SOLFATARA

GEYSER

MUD POOL

FUMAROLE

The rock cycle




HEXAGONAL BASALT COLUMNS, ICELAND


THE ROCK CYCLE IS A CONTINUOUS PROCESS through which old rocks are transformed into new ones. Rocks can be divided into three main groups: igneous, sedimentary, and metamorphic. Igneous rocks are formed when magma (molten rock) from the Earth's interior cools and solidifies (see pp. 26-27). Sedimentary rocks are formed when sediment (rock particles, for example) becomes compressed and cemented together in a process known as lithification (see pp. 28-29). Metamorphic rocks are formed when igneous, sedimentary, or other metamorphic rocks are changed by heat or pressure (see pp. 26-27). Rocks are added to the Earth's surface by crustal movements and volcanic activity. Once exposed on the surface, the rocks are broken down into rock particles by weathering (see pp. 34-35). The particles are then transported by glaciers, rivers, and wind, and deposited as sediment in lakes, deltas, deserts, and on the ocean floor. Some

of this sediment undergoes lithification and forms sedimentary rock. This rock may be thrust back to the surface by crustal movements or forced deeper into the Earth's interior, where heat and pressure transform it into metamorphic rock. The metamorphic rock in turn may be pushed up to the surface or may be melted to form magma. Eventually, the magma cools and solidifies – below or on the surface – forming igneous rock. When the sedimentary, igneous, and metamorphic rocks are exposed once more on the Earth's surface, the cycle begins again.


THE ROCK CYCLE




STAGES IN THE ROCK CYCLE



IGNEOUS ROCK




PHOTOMICROGRAPH OF GABBRO




PIECE OF GABBRO

SEDIMENTARY ROCK




PHOTOMICROGRAPH OF SHELLY LIMESTONE




PIECE OF SHELLY LIMESTONE


METAMORPHIC ROCK



PHOTOMICROGRAPH OF GARNET-MICA SCHIST



PIECE OF GARNET-MICA SCHIST



Minerals

A MINERAL IS A NATURALLY OCCURRING SUBSTANCE that has a characteristic chemical composition and specific physical properties, such as habit and streak (see pp. 24-25). A rock, by comparison, is an aggregate of minerals and need not have a specific chemical composition. Minerals are made up of elements (substances that cannot be broken down chemically into simpler substances), each of which can be represented by a chemical symbol (see p. 58). Minerals can be divided into two main groups: native elements and compounds. Native elements are made up of a pure element. Examples include gold (chemical symbol Au), silver (Ag), copper (Cu), and carbon (C); carbon occurs as a native element in two forms, diamond and graphite. Compounds are combinations of two or more elements. For example, sulphides are compounds of sulphur (S) and one or more other elements, such as lead (Pb) in the mineral galena, or antimony (Sb) in the mineral stibnite.

SULPHIDES



Cubic galena crystal

GALENA
(PbS)



Prismatic stibnite crystal

STIBNITE
(Sb₂S₃)

Quartz groundmass (matrix)

Perfect octahedral pyrites crystal




PYRITES
(FeS₂)

Quartz crystal



Dendritic (branching) gold

GOLD
(Au)




White diamond

DIAMOND
(C)

Kimberlite groundmass (matrix)

Quartz vein


OXIDES/HYDROXIDES



Milky quartz groundmass (matrix)

Smoky quartz crystal

SMOKY QUARTZ
(SiO₂)



Rounded bauxite grains in groundmass (matrix)

BAUNITE
(FeO(OH) and Al₂O₃·2H₂O)




Mass of specular haematite crystals

SPECULAR HAEMATITE
(Fe₂O₃)



Parallel bands of onyx

ONYX
(SiO₂)




Kidney ore haematite

Specular crystals of haematite

KIDNEY ORE HAEMATITE
(Fe₂O₃)

NATIVE ELEMENTS



Dendritic (branching) copper

Limonite groundmass (matrix)

COPPER
(Cu)



Hexagonal graphite crystal

GRAPHITE
(C)

PHOSPHATES




PYROMORPHITE
($\text{Pb}_3(\text{PO}_4)_3\text{Cl}$)

Limonite groundmass (matrix)

Radiating wavellite crystals

Prismatic pyromorphite crystals



WAVELLITE
($\text{Al}_2(\text{PO}_4)_2(\text{OH},\text{F}) \cdot 5\text{H}_2\text{O}$)

CARBONATES



CERUSSITE
(PbCO_3)

Striated cerussite crystal



CALCITE
(CaCO_3)

Dog-tooth calcite crystal

SULPHATES



CYANOTRICHITE
($\text{Cu}_4\text{Al}_2(\text{SO}_4)(\text{OH})_{12} \cdot 2\text{H}_2\text{O}$)

Rock groundmass (matrix)

Radiating cyanotrichite crystals

Radiating crystal mass of daisy gypsum



DAISY GYPSUM
($\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$)

MOLYBDATE



WULFENITE
(PbMoO_4)

Tabular wulfenite crystal

Dark rock groundmass (matrix)

SILICATES



SODALITE
($\text{Na}_4\text{Al}_3\text{Si}_3\text{O}_{12}\text{Cl}_2$)

Dodecahedral sodalite crystal

Striated surface of olivine crystal



OLIVINE
($\text{Fe}_2\text{SiO}_4 - \text{Mg}_2\text{SiO}_4$)

Tabular muscovite crystal



MUSCOVITE
($\text{KAl}_2(\text{Si},\text{Al})_4\text{O}_{10}(\text{OH},\text{F})_2$)


HALIDES



GREEN FLUORITE
(CaF_2)

Cubic fluorite crystal

Cubic rock salt crystal



ORANGE HALITE (ROCK SALT)
(NaCl)

Feldspar groundmass (matrix)

Transparent bicoloured tourmaline crystal



TOURMALINE
($\text{Na}(\text{Mg},\text{Fe},\text{Li},\text{Mn},\text{Al})_3\text{Al}_6(\text{BO}_3)_3\text{Si}_6\text{O}_{18}(\text{OH},\text{F})_4$)

Striated prismatic epidote crystal



EPIDOTE
($\text{Ca}_2(\text{Al},\text{Fe})_3(\text{SiO}_4)_3(\text{OH})$)

Orthoclase crystal



ORTHOCLASE
(KAlSi_3O_8)

Mineral features

MINERALS CAN BE IDENTIFIED BY STUDYING features such as fracture, cleavage, crystal system, habit, hardness, colour, and streak. Minerals can break in different ways. If a mineral breaks in an irregular way, leaving rough surfaces, it possesses fracture. If a mineral breaks along well-defined planes of weakness, it possesses cleavage. Specific minerals have distinctive patterns of cleavage; for example, mica cleaves along one plane. Most minerals form crystals, which can be categorized into crystal systems according to their symmetry and number of faces. Within each system, several different but related forms of crystal are possible; for example, a cubic crystal can have six, eight, or twelve sides. A mineral's habit is the typical form taken by an aggregate of its crystals. Examples of habit include botryoidal (like a bunch of grapes) and massive (no definite form). The relative hardness of a mineral may be assessed by testing its resistance to scratching. This property is usually measured using Mohs scale, which increases in hardness from 1 (talc) to 10 (diamond). The colour of a mineral is not a dependable guide to its identity as some minerals have a range of colours. Streak (the colour the powdered mineral makes when rubbed across an unglazed tile) is a more reliable indicator.

FRACTURE



CONCHOIDAL FRACTURE



HACKLY FRACTURE



UNEVEN FRACTURE



SPLINTERY FRACTURE

CLEAVAGE

Cleavage in one direction



CLEAVAGE ALONG ONE PLANE


Horizontal cleavage



CLEAVAGE ALONG TWO PLANES

Vertical cleavage

Cleavage in three directions, forming a block cube




CLEAVAGE ALONG THREE PLANES

Cleavage in four directions, forming a double-pyramid crystal



CLEAVAGE ALONG FOUR PLANES

CRYSTAL SYSTEMS



CUBIC SYSTEM



TETRAGONAL SYSTEM

Representation of tetragonal system



Representation of cubic system

Hexagonal beryl crystal



HEXAGONAL/TRIGONAL SYSTEM

Representation of hexagonal/trigonal system



Orthorhombic barytes crystal



ORTHORHOMBIC SYSTEM

Representation of orthorhombic system



Monoclinic selenite crystal



MONOCLINIC SYSTEM

Representation of monoclinic system



TRICLINIC SYSTEM

Representation of triclinic system



HABIT



kunzite with prismatic habit

PRISMATIC HABIT

Silver with twisted wire habit

TWISTED WIRE HABIT



TABULAR HABIT

Hematite with tabular habit (flat-rund structure)

Wollastonite with fibrous habit

FIBROUS HABIT




Chalcedony with botryoidal habit (like a bunch of grapes)

BOTRYOIDAL HABIT



Carrollite with massive habit (no definite shape)

MASSIVE HABIT



STREAK

COLOUR OF MINERAL

Yellow orpiment

Brown haematite

Red-brown crocoite

Gold chalcocite

Black-red cinnabar

Silver molybdenite



COLOUR OF STREAK

Golden-yellow

Red-brown

Yellow

Black

Red


Grey



COLOUR

Rose-coloured crystal of rose quartz

ROSE, PINK




Translucent white-grey crystal of milky quartz

WHITE-GREY



Translucent crystal of orange citrine

ORANGE



Transparent glassy crystal of rock crystal

BEIGE, TRANSPARENT



MOHS SCALE OF HARDNESS



TALC
1



GYPSUM
2



CALCITE
3



FLUORITE
4



APATITE
5



ORTHOCLASE
6



QUARTZ
7



TOPAZ
8



CORUNDUM
9



DIAMOND
10

Igneous and metamorphic rocks


IGNEOUS ROCKS ARE FORMED WHEN MAGMA (molten rock that originates from deep beneath the Earth's crust) cools and solidifies. There are two main types of igneous rock: intrusive and extrusive. Intrusive rocks are formed deep underground where magma is forced into cracks or between rock layers to form structures such as sills, dykes, and batholiths. The magma cools slowly to form coarse-grained rocks such as gabbro and pegmatite.

Extrusive rocks are formed above the Earth's surface from lava (magma that has been ejected in a volcanic eruption). The molten lava cools quickly, producing fine-grained rocks such as rhyolite and basalt. Metamorphic rocks are those that have been altered by intense heat (contact metamorphism) or extreme pressure (regional metamorphism). Contact metamorphism occurs when rocks are changed by heat from, for example, an igneous intrusion or lava flow. Regional metamorphism occurs when rock is crushed in the middle of a folding mountain range. Metamorphic rocks can be formed from igneous rocks, sedimentary rocks, or even from other metamorphic rocks.



BASALT COLUMNS



CONTACT METAMORPHISM




REGIONAL METAMORPHISM



IGNEOUS ROCK STRUCTURES

EXAMPLES OF METAMORPHIC ROCKS





GNEISS


FOLDED SCHIST

SKARN


EXAMPLES OF EXTRUSIVE IGNEOUS ROCKS




EXAMPLES OF INTRUSIVE IGNEOUS ROCKS




KIMBERLITE



OLIVINE GABBRO




FELDSPAR PEGMATITE



SLATE WITH PYRITES



CHIALSTOLITE HORNFELS



GREEN MARBLE



HALFEHLINTA




SYENITE

Sedimentary rocks


SEDIMENTARY ROCKS ARE FORMED BY THE ACCUMULATION and consolidation of sediments (see pp. 20-21). There are three main types of sedimentary rock. Clastic sedimentary rocks, such as breccia or sandstone, are formed from other rocks that have been broken down into fragments by weathering (see pp. 54-55), which have then been transported and deposited elsewhere. Organic sedimentary rocks – for example, coal (see pp. 52-55) – are derived from plant and animal remains. Chemical sedimentary rocks are formed by chemical processes. For example, rock salt is formed when salt dissolved in water is deposited as the water evaporates.

Sedimentary rocks are laid down in layers, called beds or strata. Each new layer is laid down horizontally over older ones. There are usually some gaps in the sequence, called unconformities. These represent periods in which no new sediments were being laid down, or when earlier sedimentary layers were raised above sea level and eroded away.


EXAMPLES OF UNCONFORMITIES




ANGULAR UNCONFORMITY



NONCONFORMITY




DISCONFORMITY





THE GRAND CANYON, USA

SEDIMENTARY LAYERS OF THE GRAND CANYON REGION




EXAMPLES OF SEDIMENTARY ROCKS




Fossils

FOSSILS ARE THE REMAINS of plants and animals that have been preserved in rock. A fossil may be the preserved remains of an organism itself, an impression of it in rock, or preserved traces (known as trace fossils) left by an organism while it was alive, such as organic carbon outlines, fossilized footprints, or droppings. Most dead organisms soon rot away or are eaten by scavengers. For fossilization to occur, rapid burial by sediment is necessary. The organism decays, but the harder parts – bones, teeth, and shells, for example – may be preserved and hardened by minerals from the surrounding sediment. Fossilization may also occur even when the hard parts of an organism are dissolved away to leave an impression called a mould. The mould is filled by minerals, thereby creating a cast of the organism. The study of fossils (palaeontology) can not only show how living things have evolved, but can also help to reveal the Earth's geological history – for example, by aiding in the dating of rock strata.


PROCESS OF FOSSILIZATION




EXAMPLES OF FOSSILS




ALETHOPTERIS (SEED FERN)




FROG (AMPHIBIAN)




PAVLOVIA (AMMONITE MOLLUSC)




DICYOTHYRIS (BRACHIOPOD)



SCALLOP (BIVALVE MOLLUSC)




ACROTEUTHIS (BELEMNITE MOLLUSC)



SCORPION (ARTHIPOD)

THE FOSSIL RECORD



Mineral resources

MINERAL RESOURCES CAN BE DEFINED AS naturally occurring substances that can be extracted from the Earth and are useful as fuels and raw materials. Coal, oil, and gas – collectively called fossil fuels – are commonly included in this group, but are not strictly minerals, because they are of organic origin. Coal formation begins when vegetation is buried and partly decomposed to form peat. Overlying sediments compress the peat and transform it into lignite (soft brown coal).




OIL RIG, NORTH SEA

As the overlying sediments accumulate, increasing pressure and temperature eventually transform the lignite into bituminous and hard anthracite coals. Oil and gas are usually formed from organic matter that was deposited in marine sediments. Under the effects of heat and pressure, the compressed organic matter undergoes complex chemical changes to form oil and gas. The oil and gas percolate

upwards through water-saturated, permeable rocks and they may rise to the Earth's surface or accumulate below an impermeable layer of rock that has been folded or faulted to form a trap – an anticline (upfold) trap, for example. Minerals are inorganic substances that may consist of a single chemical element, such as gold, silver, or copper, or combinations of elements (see pp. 22-23). Some minerals are concentrated in mineralization zones in rock associated with crustal movements or volcanic activity. Others may be found in sediments as placer deposits – accumulations of high-density minerals that have been weathered out of rocks, transported, and deposited (on river-beds, for example).

HOW COAL IS FORMED



STAGES IN THE FORMATION OF COAL



PLANT MATTER



About 60% carbon

PEAT

Decayed plant matter


About 70% carbon



Crumbly texture

LIGNITE (BROWN COAL)

Powdery texture



About 80% carbon

Shiny surface


BITUMINOUS COAL

About 95% carbon




ANTHRACITE COAL


EXAMPLES OF OIL AND GAS TRAPS




MAJOR COAL, OIL, AND GAS DEPOSITS



HOW AN ANTICLINE TRAP IS FORMED




MINERALIZATION ZONES




Weathering and erosion

WEATHERING IS THE BREAKING DOWN of rocks on the Earth's surface. There are two main types: physical (or mechanical) and chemical. Physical weathering may be caused by temperature changes, such as freezing and thawing, or by abrasion from material carried by winds, rivers, or glaciers. Rocks may also be broken down by the actions of animals and plants, such as the burrowing of animals and the growth of roots. Chemical weathering causes rocks to decompose by changing their chemical composition – for example, rainwater may dissolve certain minerals in a rock. Erosion is the wearing away and removal of land surfaces by water, wind, or ice. It is greatest in areas of little or no surface vegetation, such as deserts, where sand dunes may form.


FEATURES PRODUCED BY WIND ACTION



ROCK PEDESTAL




ZEUGEN




YARDANG


EXAMPLES OF PHYSICAL WEATHERING PROCESSES




EXFOLIATION
(ONION-SKIN WEATHERING)



BLOCK DISINTEGRATION




FROST WEDGING




TREE ROOT ACTION


FORMATION OF A HAMADA (ROCK PAVEMENT)








FEATURES OF WEATHERING AND EROSION



SECTION THROUGH A BARKHAN DUNE



EXAMPLES OF SAND DUNES




Caves

CAVES COMMONLY FORM in areas of limestone, although on coastlines they also occur in other rocks. Limestone is made of calcite (calcium carbonate), which dissolves in the carbonic acid naturally present in rainwater, and in humic acids from the decay of vegetation. The acidic water trickles down through cracks and joints in the limestone and between rock layers, breaking up the surface terrain into clints (blocks of rock), separated by grikes (deep cracks), and punctuated by sink-holes (also called swallow-holes or potholes) into which surface streams may disappear. Underground, the acidic water dissolves the rock around crevices, opening up a network of passages and caves, which can become large caverns if the roofs collapse. Various features are formed when the dissolved calcite is redeposited; for example, it may be redeposited along an underground stream to form a gour (series of calcite ridges), or in caves and passages to form stalactites and stalagmites. Stalactites develop where calcite is left behind as water drips from the roof; where the drops land, stalagmites build up.


MERGED
STALACTITES

STALACTITE WITH
RING MARKS

SURFACE TOPOGRAPHY OF A CAVE SYSTEM




STALAGMITE FORMATIONS




CRYSTALLINE
STALAGMITIC FLOOR

Calcite (calcium carbonate)
crystallized
under water



CALCAREOUS
TUFFA

Thin encrustations
of calcite (calcium carbonate)




STALAGMITIC
FLOOR

Encrustations
on dead stems
of small plants


Calcite
(calcium carbonate)

Calcite
(calcium carbonate)



STALAGMITIC
BOSS

Encrustations
with fungoid
structure



Former
water table


Permeable
limestone

Resurgence


Layer of
impermeable
rock

Present
water table


DEVELOPMENT OF A CAVE SYSTEM



INTERCONNECTED CAVE SYSTEM



Glaciers




GLACIER BAY, ALASKA



A VALLEY GLACIER IS A LARGE MASS OF ICE that forms on land and moves slowly downhill under its own weight. It is formed from snow that collects in cirques (mountain hollows also known as corries) and compresses into ice as more and more snow accumulates. The cirque is deepened by frost wedging and abrasion (see pp. 54-55), and arêtes (sharp ridges) develop between adjacent cirques. Eventually, so much ice builds up that the glacier begins to move downhill. As the glacier moves it collects moraine (debris), which may range in size from particles of dust to large boulders. The rocks at the base of the glacier erode the glacial valley, giving it a U-shaped cross-section. Under the glacier, *roches moutonnées* (eroded outcrops of hard rock) and drumlins (rounded mounds of rock and clay) are left behind on the valley floor. The glacier ends at a terminus (the snout), where the ice melts as fast as it arrives. If the temperature increases, the ice melts

faster than it arrives, and the glacier retreats. The retreating glacier leaves behind its moraine and also erratics (isolated single boulders). Glacial streams from the melting glacier deposit eskers and kames (ridges and mounds of sand and gravel), but carry away the finer sediment to form a stratified outwash plain. Lumps of ice carried on to this plain melt, creating holes called kettles.



VALLEY GLACIER




POST-GLACIAL VALLEY




FEATURES OF A GLACIER



CIRQUE FORMATION



EARLY STAGE




LATER STAGE

U-SHAPED VALLEY FORMATION



DURING GLACIATION




AFTER GLACIATION

Rivers

RIVERS FORM PART of the water cycle – the continuous circulation of water between the land, sea, and atmosphere. The source of a river may be a mountain spring or lake, or a melting glacier. The course that the river subsequently takes depends on the slope of the terrain and on the rock types and formations over which it flows. In its early, upland stages, a river tumbles steeply over rocks and boulders and cuts a steep-sided V-shaped valley. Farther downstream, it flows smoothly over sediments and forms winding meanders, eroding sideways to create broad valleys and plains. On reaching the coast, the river may deposit sediment to form an estuary or delta (see pp. 42-43).

SATELLITE IMAGE OF GANGES RIVER DELTA, BANGLADESH



Infertile swampland


Distributary

Large volume of sediment


River Ganges

Ganges delta


RIVER CAPTURE



THE WATER CYCLE



RIVER DRAINAGE PATTERNS



RADIAL



CENTRIPETAL



PARALLEL




DENDRITIC



DERANGED




TRELLISED




ANNULAR



RECTANGULAR




STAGES IN A RIVER'S DEVELOPMENT




River features

RIVERS ARE ONE OF THE MAJOR FORCES that shape the landscape. Near its source, a river is steep (see pp. 40-41). It erodes downwards, carving out V-shaped valleys and deep gorges. Waterfalls and rapids are formed where the river flows from hard rock to softer, more easily eroded rock. Farther downstream, meanders may form and there is greater sideways erosion, resulting in a broad river valley. The river sometimes erodes through the neck of a meander to form an oxbow lake. Sediment deposited on the valley floor by meandering rivers and during floods helps to create a flood-plain. Floods may also deposit sediment on the banks of the river to form levees. As a river spills into the sea or a lake, it deposits large amounts of sediment, and may form a delta. A delta is an area of sand-bars, swamps, and lagoons through which the river flows in several channels called distributaries – the Mississippi delta, for example. Often, a rise in sea level may have flooded the river-mouth to form a broad estuary, a tidal section where seawater mixes with fresh water.

HOW WATERFALLS AND RAPIDS ARE FORMED




WATERFALL







RAPIDS

Gently sloping rock strata


A RIVER VALLEY DRAINAGE SYSTEM






WATERFALL FEATURES




THE MISSISSIPPI DELTA



FORMATION OF A DELTA



SECTION THROUGH DELTA



Lakes and groundwater

NATURAL LAKES OCCUR WHERE a large quantity of water collects in a hollow in impermeable rock, or is prevented from draining away by a barrier, such as moraine (glacial deposits) or solidified lava. Lakes are often relatively short-lived landscape features, as they tend to become silted up by sediment from the streams and rivers that feed them. Some of the more long-lasting


lakes are found in deep rift valleys formed by vertical movements of the Earth's crust (see pp. 12-13) – for example, Lake Baikal in Russia, the world's largest freshwater lake, and the Dead Sea in the Middle East, one of the world's saltiest lakes. Where water is able to drain away, it sinks into the ground until it reaches a layer of impermeable rock, then accumulates in the permeable rock above it; this water-saturated permeable rock is called an aquifer. The saturated zone varies in depth according to seasonal and climatic changes. In wet conditions, the water

stored underground builds up, while in dry periods it becomes depleted. Where the upper edge of the saturated zone – the water table – meets the ground surface, water emerges as springs. In an artesian basin, where the aquifer is below an aquiclude (layer of impermeable rock), the water table throughout the basin is determined by its height at the rim. In the centre of such a basin, the water table is above ground level. The water in the basin is thus trapped below the water table and can rise under its own pressure along faultlines or well shafts.




LAKE BAIKAL, RUSSIA


STRUCTURE OF AN ARTESIAN BASIN




EXAMPLES OF SPRINGS




LIMESTONE SPRING



COASTAL (VALLEY) SPRING




FAULT SPRING




LAVA SPRING

FEATURES OF A GROUNDWATER SYSTEM




EXAMPLES OF LAKES




KETTLE LAKE

OXBOW LAKE



VOLCANIC LAKE


STRIKE-SLIP (LATERAL) FAULT LAKE



GRABEN (BLOCK-FAULT) LAKE

TARN


THE DEAD SEA, ISRAEL/JORDAN




Coastlines

COASTLINES ARE AMONG THE MOST RAPIDLY changing landscape features. Some are eroded by waves, wind, and rain, causing cliffs to be undercut and caves to be hollowed out of solid rock. Others are built up by waves transporting sand and small rocks in a process known as longshore drift, and by rivers depositing sediment in deltas. Additional influences include the activities of living organisms such as coral, crustal movements, and sea-level variations due to climatic changes. Rising land or a drop in sea level creates an emergent coastline, with cliffs and beaches stranded above the new shoreline. Sinking land or a rise in sea level produces a drowned coastline, typified by fjords (submerged glacial valleys) or submerged river valleys.


FEATURES OF WAVES





LONGSHORE DRIFT




DEPOSITIONAL FEATURES OF COASTLINES




FEATURES OF A SEA-CLIFF



FEATURES OF A COASTLINE




EMERGENT COASTLINES



HIGHLAND COASTLINE

DROWNED COASTLINES


Fjord (submerged glacial valley)



FJORD COASTLINE


Angular mountain ridge

Mountain ridge parallel to coast



DALMATIAN/PACIFIC COASTLINE


Sound (drowned valley)



LOWLAND COASTLINE



Oceans and seas

OCEANS AND SEAS COVER ABOUT 70 PER CENT of the Earth's surface and account for about 97 per cent of its total water. These oceans and seas play a crucial role in regulating temperature variations and determining climate. Their waters absorb heat from the Sun, especially in tropical regions, and the surface currents distribute it around the Earth, warming overlying air masses and neighbouring land in winter and cooling them in summer. The oceans are never still. Differences in temperature and salinity drive deep current systems, while surface currents are generated by winds blowing over the oceans. All currents are deflected – to the right in the Northern Hemisphere, to the left in the Southern Hemisphere – as a result of the Earth's rotation. This deflective factor is known as the Coriolis force. A current that begins on the surface is immediately deflected. This current in turn generates a current in the layer of water beneath, which is also deflected. As the movement is transmitted downwards, the deflections form an Ekman spiral. The waters of the oceans and seas are also moved by the constant ebb and flow of tides. These are caused by the gravitational pull of the Moon and Sun. The highest tides (Spring tides) occur at full and new Moon; the lowest tides (neap tides) occur at first and last quarter.




OFFSHORE CURRENTS


SALT CONTENT OF SEAWATER




COLD-WATER UPWELLING
(SOUTHERN HEMISPHERE)




POLAR BOTTOM WATER




EFFECT OF CORIOLIS FORCE



EKMAN SPIRAL (NORTHERN HEMISPHERE)





HOW TIDES ARE CAUSED



The ocean floor

THE OCEAN FLOOR COMPRISES TWO SECTIONS: the continental shelf and slope, and the deep-ocean floor. The continental shelf and slope are part of the continental crust, but may extend far into the ocean. Sloping quite gently to a depth of about 140 metres, the continental shelf is covered in sandy deposits shaped by waves and tidal currents. At the edge of the continental shelf, the seabed slopes down to the abyssal plain, which lies at an average depth of about 3,800 metres. On this deep-ocean floor is a layer of sediment made up of clays, fine oozes formed from the remains of tiny sea creatures, and occasional mineral-rich deposits. Echo-sounding and remote sensing from satellites has revealed that the abyssal plain is divided by a system of mountain ranges, far bigger than any on land – the mid-ocean ridge. Here, magma (molten rock) wells up from the Earth's interior and solidifies, widening the ocean floor (see pp. 12-15). As the ocean floor spreads, volcanoes that have formed over hot spots in the crust move away from their magma source; they become extinct and are increasingly submerged and eroded. Volcanoes eroded below sea level remain as seamounts (underwater mountains). In warm waters, a volcano that projects above the ocean surface often acquires a fringing coral reef, which may develop into an atoll as the volcano becomes submerged.


FEATURES OF THE OCEAN FLOOR





KEY

-  Calcareous ooze
-  Pelagic clay
-  Glacial sediments
-  Siliceous ooze
-  Terrigenous sediments
-  Continental margin sediments
-  Metalliferous muds
-  Major nodule fields


DEEP-OCEAN FLOOR SEDIMENTS



ECHO-SOUND PROFILE OF OCEAN FLOOR




DEVELOPMENT OF AN ATOLL



The atmosphere

Exosphere
(altitude above
about 500 km)




JET STREAM


THE EARTH IS SURROUNDED BY ITS ATMOSPHERE, a blanket of gases that enables life to exist on the planet. This layer has no definite outer edge, gradually becoming thinner until it merges into space, but over 80 per cent of atmospheric gases are held by gravity within about 20 kilometres of the Earth's surface. The atmosphere blocks out much harmful ultraviolet solar radiation, and insulates the Earth against extremes of temperature by limiting both incoming solar radiation and the escape of re-radiated heat into space. This natural

balance may be distorted by the greenhouse effect, as gases such as carbon dioxide have built up in the atmosphere, trapping more heat. Close to the Earth's surface, differences in air temperature and pressure cause air to circulate between the equator and poles. This circulation, together with the Coriolis force, gives rise to the prevailing surface winds and the high-level jet streams.

ATMOSPHERIC CIRCULATION AND WINDS



FORMATION OF ROSSBY WAVES IN THE JET STREAM




Mesosphere
(altitude about
50-100 km)

Stratosphere
(altitude about
10-50 km)


Troposphere (altitude
up to about 10 km)

STRUCTURE OF THE ATMOSPHERE

GLOBAL WARMING





NATURALLY MODERATED GREENHOUSE EFFECT



UNBALANCED GREENHOUSE EFFECT

COMPOSITION OF THE LOWER ATMOSPHERE


Other elements less than 0.1%




Weather

WEATHER IS DEFINED AS THE ATMOSPHERIC CONDITIONS at a particular time and place; climate is the average weather conditions for a given region over time. Weather is assessed in terms of temperature, wind, cloud cover, and precipitation, such as rain or snow. Fine weather is associated with high-pressure areas, where air is sinking. Cloudy, wet, changeable weather is common in low-pressure zones with rising, unstable air. Such conditions occur at temperate latitudes, where warm air meets cool air along the polar fronts. Here, spiralling low-pressure cells known as depressions (mid-latitude cyclones) often form. A depression usually contains a sector of warmer air, beginning at a warm front and ending at a cold front. If the two fronts merge, forming an occluded front, the warm air is pushed upwards. An extreme form of low-pressure cell is a hurricane (also called a typhoon or tropical cyclone), which brings torrential rain and exceptionally strong winds.




TYPES OF CLOUD




TYPES OF OCCLUDED FRONT




FORMS OF PRECIPITATION



STRUCTURE OF A HURRICANE




WEATHER MAP



Earth data

EARTH PROFILE

Average distance from Sun (km)	149,600,000
Maximum distance from Sun (km)	152,100,000
Minimum distance from Sun (km)	147,100,000
Length of year (days)	365.26
Length of day (hours)	23.93
Surface temperature range (°C)	-88.3 to 58.0
Mass (billion billion tonnes)	5,976
Volume (km ³)	1,083,230,000,000
Axial tilt (degrees)	23.5
Specific gravity (water = 1)	5.52
Polar diameter (km)	12,714
Equatorial diameter (km)	12,756
Polar circumference (km)	40,008
Equatorial circumference (km)	40,075
Total surface area (km ²)	510,000,000
Land surface area (km ²)	149,000,000
Land as % of total surface area	29.2
Water surface area (km ²)	361,000,000
Water as % of total surface area	70.8
Highest point on land (m)	8,848
Lowest point on land (m below sea level)	400
Average height of land (m)	840
Greatest ocean depth (m)	10,924
Average ocean depth (m)	3,808
Oceanic crust thickness (km)	6
Continental crust thickness (km)	40
Mantle thickness (km)	2,800
Outer core thickness (km)	2,300
Inner core diameter (km)	2,400
Approximate age of Earth (millions of years)	4,600



OCEANS AND SEAS

LARGEST AND DEEPEST

Name	Area (km ²)	Average depth (m)
Pacific Ocean	166,229,000	4,028
Atlantic Ocean	86,551,000	3,926
Indian Ocean	73,422,000	3,963
Arctic Ocean	13,223,000	1,205
South China Sea	2,975,000	1,652
Caribbean Sea	2,516,000	2,467
Mediterranean Sea	2,509,000	1,429
Bering Sea	2,261,000	1,547
Gulf of Mexico	1,508,000	1,486
Sea of Okhotsk	1,392,000	840
Sea of Japan	1,013,000	1,370
Hudson Bay	730,000	120
East China Sea	665,000	180
Black Sea	508,000	1,100
Red Sea	453,000	490
North Sea	427,000	90

DEEP SEA TRENCHES

	Length (km)	Deepest point	Depth (m)
Mariana Trench (W. Pacific)	2,250	Challenger Deep	10,924
Tonga-Kermadec Trench (S. Pacific)	2,575	Vityaz II (Tonga)	10,800
Kuril-Kamchatka Trench (W. Pacific)	2,250	Unnamed	10,542
Philippine Trench (W. Pacific)	1,325	Galathea Deep	10,539
Solomon/New Britain Trench (S. Pacific)	640	Unnamed	8,940
Puerto Rico Trench (W. Atlantic)	800	Milwaukee Deep	8,605
Yap Trench (W. Pacific)	560	Unnamed	8,527
Japan Trench (W. Pacific)	1,600	Unnamed	8,412
South Sandwich Trench (S. Atlantic)	965	Meteor Deep	8,325



CONTINENTS


Name	Area (km ²)	% of total surface area	% of total land area	Highest point	Height (m)	Lowest point	Below sea level (m)
Asia	44,000,000	8.6	29.5	Mt. Everest	8,848	Dead Sea	400
Africa	30,000,000	5.9	20.1	Kilimanjaro	5,895	Lac Assal	156
N. America	24,000,000	4.7	16.1	Denali (Mt. McKinley)	6,194	Death Valley	86
S. America	18,000,000	3.5	12.1	Aconcagua	6,960	Peninsular Valdez	40
Antarctica	14,000,000	2.7	9.4	Vinson Massif	5,140	Bently Subglacial Trench	2,538
Europe	10,000,000	2.0	6.7	El'brus	5,642	Caspian Sea	28
Australasia	9,000,000	1.8	6.1	Mt. Wilhelm	4,884	Lake Eyre	16



ISLANDS

Name	Area (km ²)
Greenland	2,175,219
New Guinea	792,493
Borneo	725,416
Madagascar	587,009
Ballin Island (Canada)	507,423
Sumatra	427,325
Honshu (Japan)	227,401
Great Britain	218,065
Victoria Island (Canada)	217,278
Ellesmere Island (Canada)	196,225


LARGEST



LAKES AND INLAND SEAS


LARGEST

Name	Area (km ²)
Caspian Sea (Asia/Europe)	370,980
Lake Superior (N. America)	82,098
Lake Victoria (Africa)	69,480
Aral Sea (Asia)	64,498
Lake Huron (N. America)	59,566
Lake Michigan (N. America)	57,754
Lake Tanganyika (Africa)	32,891
Lake Baikal (Asia)	31,498
Great Bear Lake (N. America)	31,197
Lake Nyasa (Africa)	28,877




MOUNTAINS

	Name	Height (m)
HIGHEST	Mt. Everest (Tibet/Nepal)	8,848
	K2 (Pakistan/Tibet)	8,611
	Kangchenjunga (India/Nepal)	8,598
	Makalu (Tibet/Nepal)	8,480
	Cho Oyu (Tibet/Nepal)	8,201
	Dhaulagiri (Nepal)	8,172
	Nanga Parbat (India)	8,126
	Annapurna (Nepal)	8,078
	Gasherbrum (India)	8,068
	Xixabangma Feng (Tibet)	8,013



RIVERS

	Name	Length (km)
LONGEST	River Nile (Africa)	6,695
	Amazon River (S. America)	6,437
	Yangtze River/Chang Jiang (Asia)	6,379
	Mississippi-Missouri River (N. America)	6,264
	River Ob-Irtysh (Asia)	5,411
	Yellow River/Huang He (Asia)	4,672
	River Congo/Zaire (Africa)	4,667
	River Amur (Asia)	4,416
	River Lena (Asia)	4,400
	Mackenzie-Peace River (N. America)	4,241



WATERFALLS

	Name	Height (m)
HIGHEST DROP	Angel Falls (Venezuela)	979
	Tugela Falls (South Africa)	853
	Utgaard (Norway)	800
	Mongefossen (Norway)	774
	Yosemite Falls (USA)	739
	Mardalsfossen (Norway)	655
	Cuquenán Falls (Venezuela)	610
	Sutherland Falls (New Zealand)	580
	Ribbon Falls (USA)	491
	Gavarnie (France)	422
	Name	Volume (m³/sec)
GREATEST VOLUME	Boyoma Falls (Zaire)	17,000
	Guaira Falls (Brazil/Paraguay)	15,000
	Khone Falls (Laos)	11,500
	Niagara Falls (Canada/USA)	6,000
	Paulo Afonso Falls (Brazil)	2,800
	Urubupunga Falls (Brazil)	2,700
	Cataras del Iguazu Falls (Brazil/Paraguay)	1,700
	Patos-Maribondo Falls (Brazil)	1,500
	Victoria Falls (Zimbabwe)	1,100
	Churchill Falls (Canada)	1,000



ACTIVE VOLCANOES

	Name	Height (m)
HIGHEST	Guallatiri (Chile)	6,390
	Lascar (Chile)	5,996
	Cotopaxi (Ecuador)	5,897
	Tupungatto (Chile)	5,640
	Ruiz (Colombia)	5,100
	Sangay (Ecuador)	5,250
	Purace (Colombia)	4,755
	Klyuchevskaya Sopka (Russia)	4,750
	Colima (Mexico)	4,268
	Galeras (Colombia)	4,266



DESERTS

	Name	Area (km²)
LARGEST	Sahara (Africa)	8,800,000
	Gobi Desert (Asia)	1,500,000
	Australian Desert (Australasia)	1,250,000
	Arabian Desert (Asia)	850,000
	Kalahari Desert (Africa)	580,000
	Chihuahuan Desert (N. America)	570,000
	Takla Makan Desert (Asia)	520,000
	Kara Kum (Asia)	510,000
	Namib Desert (Africa)	510,000
	Thar Desert (Asia)	260,000




CAVES

	Name	Depth (m)
DEEPEST	Reseau Jean Bernard (France)	1,602
	Shakla Pantjukhina (Georgia)	1,508
	Lamrechtsolen (Austria)	1,485
	Sistema del Trave (Spain)	1,441
	Boj Bulok (Uzbekistan)	1,415
	Name	Length (km)
LONGEST SYSTEMS	Mammoth Cave System (USA)	560
	Optimisticheskaya (Ukraine)	185
	Holloch (Switzerland)	157
	Jewel Cave (USA)	127
	Ozernaya (Ukraine)	107



GLACIERS

	Name	Length (km)
LONGEST	Lambert-Fisher Ice Passage (Antarctica)	515
	Novaya Zemlya (Russia)	418
	Arctic Institute Ice Passage (Antarctica)	562
	Nimrod-Lennox-King Ice Passage (Antarctica)	289
	Denman Glacier (Antarctica)	241
	Beardmore Glacier (Antarctica)	225
	Recovery Glacier (Antarctica)	225
	Petermanns Gletscher (Greenland)	200
	Unnamed glacier (Antarctica)	195
	Slessor Glacier (Antarctica)	185



WEATHER

Records

Highest recorded temperature:

58°C at Al' Aziziyah, Libya, 15 September 1922.

Lowest recorded temperature:

-88.5°C at Vostok, Antarctica, 24 August 1960.

Greatest average yearly rainfall:

11,455 mm at Mt. Waialeale, Hawaii.

Greatest recorded rainfall in any one year:

26,461 mm at Cherrapunji, India, in 1860-61.

Windiest place:

Commonwealth Bay, Antarctica, where several 320 km/h winds occur each year.

Highest recorded windspeed:

371 km/h on Mt. Washington, USA, in 1934.



WINDSPEED

No.	Description	Speed (km/h)	Characteristics
0	Calm	Below 1	Smoke rises vertically.
1	Light air	1-5	Smoke blown by wind.
2	Light breeze	6-12	Leaves rustle.
3	Gentle breeze	15-20	Extends a light flag.
4	Moderate breeze	21-29	Raises dust and loose paper.
5	Fresh breeze	30-39	Small trees begin to sway.
6	Strong breeze	40-50	Large branches in motion.
7	Near gale	51-61	Whole trees in motion.
8	Gale	62-74	Twigs broken off trees.
9	Strong gale	75-87	Structural damage occurs.
10	Storm	88-102	Trees uprooted.
11	Violent storm	103-120	Widespread damage.
12-17	Hurricane	Over 120	Extremely violent.



EARTHQUAKES

Magnitude	Probable effects
1	Detectable only by instruments.
2-2.5	Barely detectable even near epicentre.
4-5	Detectable within 32 km of epicentre; may cause slight damage.
6	Moderately destructive.
7	A major earthquake.
8-9	A very destructive earthquake.

RICHTER
SCALE

CHEMICAL ELEMENTS

Ac Actinium	Mn Manganese
Ag Silver	Mo Molybdenum
Al Aluminium	N Nitrogen
Am Americium	Na Sodium
Ar Argon	Nb Niobium
As Arsenic	Nd Neodymium
At Astatine	Ne Neon
Au Gold	Ni Nickel
B Boron	No Nobelium
Ba Barium	Np Neptunium
Be Beryllium	O Oxygen
Bi Bismuth	Os Osmium
Bk Berkelium	P Phosphorus
Br Bromine	Pa Protactinium
C Carbon	Pb Lead
Ca Calcium	Pd Palladium
Cd Cadmium	Pm Promethium
Ce Cerium	Po Polonium
Cf Californium	Pr Praseodymium
Cl Chlorine	Pt Platinum
Cm Curium	Pu Plutonium
Co Cobalt	Ra Radium
Cr Chromium	Rb Rubidium
Cs Caesium	Re Rhenium
Cu Copper	Rf-Ku Rutherfordium-
Dy Dysprosium	Kurchatovium
Er Erbium	Rh Rhodium
Es Einsteinium	Rn Radon
Eu Europium	Ru Ruthenium
F Fluorine	S Sulphur
Fe Iron	Sb Antimony
Fm Fermium	Sc Scandium
Fr Francium	Se Selenium
Ga Gallium	Si Silicon
Gd Gadolinium	Sm Samarium
Ge Germanium	Sn Tin
H Hydrogen	Sr Strontium
Ha Hahnium	Ta Tantalum
He Helium	Tb Terbium
Hf Hafnium	Tc Technetium
Hg Mercury	Te Tellurium
Ho Holmium	Th Thorium
I Iodine	Ti Titanium
In Indium	Tl Thallium
Ir Iridium	Tm Thulium
K Potassium	U Uranium
Kr Krypton	V Vanadium
La Lanthanum	W Tungsten
Li Lithium	Xe Xenon
Lr Lawrencium	Y Yttrium
Lu Lutetium	Yb Ytterbium
Md Mendelevium	Zn Zinc
Mg Magnesium	Zr Zirconium

Alkaline earth metals Lanthanide series

Alkali metals Actinide series

Other metals Non-metals

Transition metals Noble gases

Hydrogen is a gas with unique properties and is therefore usually placed in a group by itself.

Glossary

AQUIFER: A layer of water-saturated permeable rock lying on a layer of impermeable rock. It can be a source of water for wells and springs.

ARTESIAN BASIN: An aquifer in which water is held under pressure between two layers of impermeable rock. (See also Aquifer.)

ASTHENOSPHERE: A partly molten layer of the Earth's mantle below the lithosphere. (See also Lithosphere; Mantle.)

ATMOSPHERE: The layer of gases surrounding the Earth, consisting of (from ground level upwards) the troposphere, stratosphere, mesosphere, thermosphere, and exosphere.

BATHOLITE: A large, domed, igneous intrusion composed of granitic rock.

BED: A layer or stratum of rock (usually sedimentary). A **competent bed** is one liable to break under stress. An **incompetent bed** is one liable to bend or flow under stress.

CALDERA: A basin-shaped volcanic depression, typically resulting from an eruption and/or collapse of a volcano.

CLEAVAGE: The tendency of a mineral to break along well-defined planes of weakness.

CLIMATE: The average weather conditions for a region over a long period of time. (See also Weather.)

CONTINENTAL DRIFT: The theory that today's continents were formed by the break-up of prehistoric supercontinents that have slowly drifted to their present positions. (See also Plate tectonics.)

CORE: The central portion of the Earth, made up of a solid inner core and a molten outer core.

CORIOLIS FORCE: A force that results from the Earth's rotation. It deflects winds and water to the right in the Northern Hemisphere and to the left in the Southern Hemisphere.

CRUST: The outer layer of the Earth lying above the mantle. There are two main types: continental and oceanic crust.

CRYSTAL: A geometric form of a mineral, with naturally formed plane faces that reflect the arrangement of its constituent atoms.

DESERT: An arid region where precipitation is generally less than 250 mm per year.

EARTHQUAKE: Shock waves, sometimes causing violent tremors at the Earth's surface, caused in most cases by sudden crustal displacement along a fault. (See also Epicentre; Focus.)

ELEMENT: A substance that cannot be broken down by chemical means into simpler substances.

EON: A division of geological time that can be subdivided into eras (see Era).

EPICENTRE: The point on the Earth's surface directly above the focus of an earthquake. (See also Earthquake; Focus.)

EPOCH: A division of geological time that is a subdivision of a period (see Period).

ERA: A division of geological time that is a subdivision of an eon and which can be subdivided into a period. (See also Eon; Period.)

EROSION: The wearing away and removal of exposed land by water, wind, and/or ice. (See also Weathering.)

EXOSPHERE: The outermost layer of the atmosphere (see Atmosphere).

FAULT: A fracture in a rock along which there may be displacement of one side relative to the other.

FOCUS: The point underground at which an earthquake originates. (See also Earthquake; Epicentre.)

FOLD: A buckle or bend in a rock layer due to horizontal pressure in the Earth's crust. An **anticline** is an arch-shaped fold. A **syncline** is a trough-shaped fold.

FOSSIL: The remains, traces, or impressions of plants and animals that have been preserved in rock.

FRACTURE: The tendency of a mineral or rock to break in an irregular way.

FRONT: The boundary between two air masses. At a **warm front**, warm air rises up over cold air; at a **cold front**, cold air pushes under warm air.

GLACIER: A large mass of ice that forms on land and moves slowly downhill under its own weight.

GREENHOUSE EFFECT: The process in which radiation from the Sun passes through the atmosphere, is reflected and re-radiated from the Earth's surface, and is then trapped by atmospheric gases. The build-up of "greenhouse gases", such as carbon dioxide, has increased the effect, leading to global warming.

GROUNDMASS: The finer-grained material of a rock in which larger crystals or pebbles are embedded. **Matrix** is an alternative term for groundmass.

GROUNDWATER: Water accumulated beneath the Earth's surface.

GUTENBERG DISCONTINUITY: The boundary between the mantle and the outer core.

GYRE: The circular rotation of the waters of the major oceans and seas, driven by winds and the Coriolis force. (See also Coriolis force.)

HABIT: The typical form taken by an aggregate of a mineral's crystals.

IGNEOUS ROCK: A rock that is formed from solidified magma or lava. **Intrusive igneous rocks** are formed underground; **extrusive igneous rocks** are formed on the surface.

LAVA: Molten magma expelled on to the Earth's surface through volcanoes or fissures. The two most common forms in which lava solidifies are known as **aa** (irregular jagged blocks), and **pahoehoe** (rope-like strands).

LITHIFICATION: The formation of rock from unconsolidated sediment by the processes of compression and cementation. (See also Sedimentary rock.)

LITHOSPHERE: The Earth's crust and the topmost layer of the mantle.

LONGSHORE DRIFT: Movement of sand and small rocks along the seashore, driven by the action of waves.

MAGMA: Molten rock originating in the Earth's mantle and crust.

MANTEL: The layer of the Earth between the outer core and the crust.

MESOSPHERE: The layer of the atmosphere above the stratosphere and below the thermosphere. (See also Atmosphere.)

METAMORPHIC ROCK: A rock that is formed from previously existing rocks that have been subjected to intense heat and/or pressure, to the extent that their chemical composition has been altered.

MINERAL: A naturally occurring substance that has a characteristic chemical composition and specific physical properties.

MOHOROVIČIĆ DISCONTINUITY: The boundary between the crust and mantle.

MOHS SCALE: A scale by which the relative hardness of minerals can be measured.

OROGENESIS: The term used to describe the processes involved in mountain building.

PERIOD: A division of geological time that is a subdivision of an era and which can be subdivided into an epoch. (See also Epoch; Era.)

PLATE TECTONICS: The theory that the Earth's lithosphere consists of several semi-rigid plates that move relative to each other.

PRECIPITATION: All forms of water particles that fall from clouds, including rain, hail, sleet, and snow.

PYROCLAST: A rock formed from the debris of an explosive volcanic eruption.

ROCK: An aggregate of minerals. Rocks are divided into three main groups: igneous, metamorphic, and sedimentary (see Igneous rock; Metamorphic rock; Sedimentary rock).

ROCK CYCLE: The continuous cycle through which old rocks can be transformed into new ones.

SEA-FLOOR SPREADING: The process by which new sea floor crust is created at ridges in mid ocean where two oceanic plates move away from each other. (See also Plate tectonics.)

SEDIMENTARY ROCK: A rock formed by the lithification of sediment. (See also Lithification.)

SPRING: A flow of groundwater that emerges naturally on the Earth's surface.

STRATOSPHERE: The layer of the atmosphere above the troposphere and below the mesosphere. (See also Atmosphere.)

STRATUM: A layer or bed of rock. (See also Bed.)

STREAK: The colour that a powdered mineral makes when rubbed across an unglazed tile.

SUBDUCTION ZONE: An area where one plate is forced under another. (See also Plate tectonics.)

THERMOSPHERE: The highest layer of the atmosphere. (See also Atmosphere.)

TIDE: The regular rise and fall of the ocean surface resulting principally from the gravitational forces between the Earth, Moon, and Sun.

TRAP: A folded or faulted layer of impermeable rock beneath which oil and gas may accumulate.

TRENCH: A long, narrow valley on the ocean floor found along a subduction zone. (See also Subduction zone.)

TROPOSPHERE: The lowest layer of the atmosphere. (See also Atmosphere.)

UNCONFORMITY: A major break in a sequence of rock strata that represents a period when no new sediments were being laid down and/or when earlier sedimentary layers were eroded away.

VOLCANO: A vent or fissure in the Earth's crust through which molten magma and hot gases escape. Most volcanoes occur along plate boundaries.

WATER CYCLE: The processes by which water is circulated between land, the oceans, and the atmosphere. An alternative name is the hydrologic cycle.

WATER TABLE: The level up to which the ground is permanently saturated.

WEATHER: The atmospheric conditions at a particular time and place. (See also Climate.)

WEATHERING: The breaking down of rocks when they are exposed on the Earth's surface by physical (mechanical) or chemical means. (See also Erosion.)

Index



Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Al
Aluminum 15
Aluminum 15

Antimony
Chemical elements 58
Minerals 22

Apatite 25
Appalachian Mountains
Mountain building 16
Satellite map 8

Aquiclude 44
Aquifer 44, 59
Arabian Desert
Deserts 57

Arctic series
Satellite map 9
Arabian plate 13

Arctic Sea
Lakes and inland seas 56
Satellite map 9

Arch 47
Archaeopteryx 11
Arctic Circle
Coordinate system 6

Satellite map 9
Surface currents 49
Arctic Institute for the Study of the North

Glaciers 58
Arctic Ocean
Oceans and seas 56

Satellite map 9
Arête 38-39
Argon
Atmospheric composition 55

Chemical elements 58
Arsenic
Chemical elements 58

Artesian basin 44, 59
Artesian spring 44
Artesian well 44

Arthropod 30
Ash
Mountain building 16

Rock cycle 20
Volcanoes 18-19
Ash-cinder volcano 18

Ash eruptions 18
Asia
Earth data 56-57

Earth's physical features 8-9
Mountain building 16-17
Astatine
Chemical elements 58

Asthenosphere 12-13, 59
Asymmetric ridge 35
Atacama Desert 8

Atlantic Ocean
Oceans and seas 56
Satellite map 8-9

Atlas Mountains 9
Atmosphere 52-53
Planet Earth 6-7

Rivers 40
Atmospheric circulation 52
Atmospheric composition 53

Atmospheric conditions 54
Atmospheric gases 52
Atoll 50-51

Atoll development 51
Aurora
Atmosphere 53

Magnetosphere 7
Australasia
Earth data 56-57

Earth's physical features 8-9
Australia 9
Australian Desert
Deserts 57

Satellite map 9
Austria
Caves 57

Axial tilt 56
Axinite 24
Azimuthal map projection 9

B
Backwash 46
Bacteria 10

Baffin Island
Islands 56
Satellite map 8

Baltica 54
Banded ironstone 29
Barium
Chemical elements 58

Barbados 55
Barbados beach 56
Barren reef 51

Barytes 24
Basalt 26-27
Basalt columns 26
Basaltic lava 18

Basaltic lava plateau 18
Basic shield volcano 18
Basin formation 29
Batholiths 26-27, 59

Bauxite 22
Bay
Coastline features 47

River features 45
Bay-head beach 46
Beach
Coastlines 46-47

River development 41
Beardmore Glacier
Glaciers 58

Beaufort Scale 58
Bed 28, 59
Bedding plane
Cave system 37

Coastlines 46-47
Bedrock 50
Delta formation 43

Belemnites 50-51
Benguela current 49
Benthic Subglacial Trench
Continents 56

Bering Sea
Oceans and seas 56
Satellite map 8

Berkelium
Chemical elements 58
Beryllium
Chemical elements 58

Bhadrachal Parbat 16
Birds
Earth's evolution 11

Fossil record 51
Bismuth
Chemical elements 58

Mineralization zones 55
Bituminous coal 32
Bivalves 30-51

Black Mesa 29
Black-red cinnabar 25
Black Sea
Oceans and seas 56

Satellite map 9
Block cube 24
Block disintegration 54

Block-fault lake 45
Block mountains 16
Blue-green algae 10

Bluff 41
Boj Bulok
Caves 57

Bolson 34
Bones 50
Borneo
Islands 56

Satellite map 9
Boron
Chemical elements 58

Botryoidal habit 24-25
Bottomset strata 35
Boudin 14-15

Boulder beach 47
Boulder clay 38
Box fold 15

Boyaona Falls
Waterfalls 57
Brachial valve 50

Brachiopods 50-51
Braided stream 38
Braiding 42

Brazil
Waterfalls 57
Brazilian current 48

Brazilian Highlands 8
Breccia 28-29
Bright Angel shale 29

Bromine
Chemical elements 58
Brown hematite 25

Bryce Canyon 28
Bryozoans 51
Bubbling mud pools 18

Bullet-shaped guard 50
Burrowing 34
Butte
Igneous rock structures 26

Weathering and erosion 55
C
Cadmium
Chemical elements 58

Caesium
Chemical elements 58
Calcareous ooze 51

Calcareous tufa 56
Calcite (calcium carbonate)
Carbonates 25
Caves 56-57

Fossils 30
Molds scale 25
Sedimentary rocks 29
Calcite curtain 57

Calcite ridges 56-57
Calenn
Chemical elements 58

Earth's composition 7
Earth's crust 12
Seawater salt content 48

Caldera 59
Igneous rock structures 27
Lake formation 45

Volcanoes 18
Caldera volcano 18
Californium
Chemical elements 58

Cambrian period
Fossil record 51
Geological timescale 10

Canada 56-57
Canaries current 48
Canyons
Sedimentary rocks 28-29

Weathering and erosion 54-55
Cape Royal 29
Capillary fringe 45

Carbon
Chemical elements 58
Coal formation 52

Minerals 22
Carbonates 25
Carbon dioxide 52

Carbonic acid 36
Carboniferous period
Fossil record 51

Geological time 10-11
Caribbean plate 15
Caribbean Sea
Oceans and seas 56

Satellite map 8
Carmel formation 28
Carnallite 25

Carpathians 9
Caspian Sea
Earth data 56

Satellite map 9
Cataras del Iguaçu Falls
Waterfalls 57

Caucasus 9
Caverns 56-57
Cave roof collapse 56-57

Caves 56-57
Coastlines 46-47
Earth data 57

Glaciers 58
Cave system 56-57
Earth data 57

Cave system development 57
Cave system topography 36
Cedar-tree lacolith 26

Cenozoic era
Fossil record 51
Geological timescale 11

Centrifugal effect 49
Centripetal river drainage 40
Cephalopods 51

Cerium
Chemical elements 58
Cernisse 23

Chalcidony 25
Chalk 29
Challenger Deep
Oceans and seas 56

Chang Jiang
Rivers 57
Satellite map 9

Chelicerates 31
Chemical change
Mineral resources 32-33

Chemical elements 58
Chemical sedimentary rocks 28
Chemical weathering 34, 59

Chert 29
Chevron fold 15
Chistolite 27

Chistolite hornfels 27
Chihuahuan Desert
Deserts 57

Satellite map 8
Chile
Active volcanoes 57

Chimney
Chemical elements 58
Mineralization zones 33
Churchill Falls
Waterfalls 57

Cinder 18
Cinder cone
Igneous rock structures 26

Volcanic structure 19
Cinnabar 25
Circular mountain lake 45

Cirque formation 39
Cirques 38-39
Cirrocumulus cloud 54

Cirrostratus cloud 54
Cirrus cloud 54-55
Clastic sedimentary rocks 28

Clay mounds 58
Clays 50
Cleavage 24, 59

Cliffs
Coastlines 46-47
River's stages 41

Sedimentary rocks 28-29
Climate 59
Geological time 10

Oceans and seas 48
Weather 54
Climatic changes
Coastlines 46

Geological time 10
Clims 56-57
Cloud cover 54

Clouds
Atmosphere 53
Water cycle 40

Weather 54-55
Clypeaster 51
Coal
Earth's evolution 11

Mineral resources 32-33
Sedimentary rocks 28
Coal deposits 55

Coal formation 32
Coal-forming forests 11
Coarse-grained rocks 26

Coastal spring 44
Coastline depositional features 46
Coastline features 46-47

Coastlines 46-47
Caves 56
Cobalt
Chemical elements 58

Mineralization zones 33
Coconino sandstone 28
Cocos plate 13

Cold air 52
Cold front 54-55
Cold occlusion 54

Cold-water upwelling 48
Colima
Active volcanoes 57

Collapsed crater 45
Colliding plates
Earth's crust 12

Volcanoes 18
Colombia
Active volcanoes 57

Colorado River
Earth's evolution 11
Grand Canyon 29

Colorado River valley 29
Colour 24
Column 56

Competent bed 15
Composite volcanic cones 18
Composite volcano 18

Compounds 22
Compression
Faults and folds 14

Glaciers 58
Igneous and metamorphic rocks 26
Mineral resources 32

Mountain building 16
Rock cycle 20
Conchoidal fracture
Extrusive igneous rocks 27

Fracture 24
Sedimentary rocks 29
Condensation level 54

Cones
Igneous and metamorphic rocks 26
Volcanoes 18-19

Cone sheet 26
Conical map projection 9
Conical volcanoes 18

Continental crust
Earth profile 56
Earth's crust 12

Mineralization zones 33
Mountain building 16-17
Ocean floor 50

Continental drift 12-13, 59
Continental margin sediments 51
Continental rise 50

Continental shelf
Ocean floor 50
Rock cycle 21

Continental-shelf floor 50
Continental slope
Ocean floor 50

Offshore currents 48
Rock cycle stages 21
Continent collision
Earth's crust 12

Mountain building 16-17
Continents
Earth data 56

Earth's physical features 8-9
Geological time 10
Convection currents 6-7

Converging plates 17
Conkonia 10
Cool air 54

Coordinate system 6
Copper
Chemical elements 58

Mineral resources 32-33
Minerals 22
Coral
Atoll development 51

Fossil record 31
Coral reef
Earth's evolution 10

Ocean floor 50
Core 17, 59
Coriolis force 59

Atmosphere 52
Oceans and seas 48-49
Corona 52

Corries 38-39
Corundum 25
Cosmic rays 53

Cotopaxi
Active volcanoes 57
Cracks 56-57

Crescent-shaped dune 35
Crest 14
Cretaceous period
Fossil record 51

Geological time 10-11
Crevasse 39
Crevice 36

Crocoite 25
Cross-bed set 35
Crusafontia 10

Crust 12-13
Ocean floor 50
Planet Earth 6-7

Regional metamorphism 26
Crustaceans 31
Crustal elements 12

Crustal movement
Coastlines 46
Mineralization zones 32

Mountain building 16
Rock cycle 20
Crustal plates 13

Faults and folds 14
Mountain building 16
Volcanoes 18

Crustal spreading 12
Crystalline stigmatitic floor 56
Crystals 59

Faults 14
Intrusive igneous rocks 27
Mineral features 24-25

Minerals 22-23
Crystal systems 24
Cubic crystal 24

Cubic system 24
Cuesta 35
Cumulonimbus cloud 54

Cumulus cloud 54
Cuquenán Falls
Waterfalls 57

Curium
Chemical elements 58
Currents 48-49

- K
- K2
 - Mountains 57
- Kambab limestone 28
- Kambab Plateau 29
- Kanparawits
 - formation 28
- Kanparawits Plateau 29
- Kalahari Desert
 - Deserts 57
 - Satellite map 9
- Kame delta 58
- Kames 58
- Kame terrace 58
- Kangchenjunga
 - Mountains 57
- Kara Kum
 - Deserts 57
 - Satellite map 9
- Kavanta formation 28
- Kettle lake 45
 - Post glacial valley 58
- Kittles 58
- Khomo Falls
 - Waterfalls 57
- Khoros or haematite 22
- Kilimanjaro
 - Continents 56
- Lumberlite 27
 - Lumberlite groundmass
- Kaya Sopka
 - Continents 57
- K
 - Continents 58
- Kum
 - Continents 58
- Kuril
 - Continents 58
 - French
 - Ocean
 - Continents 56
- Karusko
 - Continents 56

L

- Lac Assal
 - Continents 56
- Laccolith
 - Igneous rock structures 26-27
 - Volcanic structure 19
- Lacustrine terrace 58
- Lagoon
 - Atoll development 51
 - Coastlines 46-47
 - River features 42-43
- Lake Balkal
 - Lakes and inland seas 56
 - Satellite map 9
- Lake Erie 8
- Lake Eyre
 - Lakes and inland seas 56
- Lake Huron
 - Lakes and inland seas 56
 - Satellite map 8
- Lake Michigan
 - Lakes and inland seas 56
 - Satellite map 8
- Lake Nyasa
 - Lakes and inland seas 56
 - Satellite map 9
- Lake Ontario 8
- Lakes 44-45
 - Glaciers 58-59
 - Groundwater system 45
 - Igneous rock structures 27
 - Lakes and inland seas 56
 - River features 42
 - River's stages 41
 - Rock cycle 20-21
 - Weathering and erosion 35
- Lake Superior
 - Lakes and inland seas 56
 - Satellite map 8
- Lake Tanganyika
 - Lakes and inland seas 56
 - Satellite map 9
- Lake Victoria
 - Lakes and inland seas 56
 - Satellite map 9
- Lambert-Fisher Ice Passage
 - Glaciers 58
- Lammrechtsfen
 - Caves 57
- Land
 - Atmosphere 55
 - Earth profile 56
 - Rivers 40
- Land height 56
- Land plants 10
- Landscape features
 - Coastlines 46
 - River features 42-43
- Land surface area 56
- Land surface removal 54
- Lanthanide series
 - Chemical elements 58
- Lanthanum
 - Chemical elements 58
- Laos
 - Waterfalls 57
- Lapilli 18
- Large mammals 11
- Lasear
 - Active volcanoes 57
- Lateral fault 15
- Lateral fault lake 45
- Lateral moraine 38-59
- Latitude line 6
- Lava
 - Igneous and metamorphic rocks 26-27
 - Mountain building 16
 - Rock cycle 20
 - Volcanoes 18-19
- Lava eruptions 18
- Lava flow 19
 - Contact metamorphism 26-27
 - Rock cycle 20
- Lava fragments 18
- Lava types 19
- Lavrenium
 - Chemical elements 58
- Lead
 - Chemical elements 58
 - Mineralization zones 55
 - Minerals 22
- Leontopists* 51
- Levee
 - River features 42-43
 - River's stages 41
- Lhyba
 - Weather 58
- Life 6, 10
 - Atmosphere 52

Lignite 52
Lamb 14
Limestone
 Caves 36
 Contact metamorphism 26
 Faults and folds 14
Limestone spring 44
Limestone strata 36
Limonite groundmass 22-23
Linear dune 35
Lintel 47
Lithification 20, 59
Lithium
 Chemical elements 58
Lithosphere 12-13, 59
Longitude line 6
Longshore drift 46-47, 59
Lopolihi 26
Lower Carboniferous
 Limestone 14
Lowland coastline 47
Low Neap tide 49
Low pressure areas
 Atmospheric circulation and
 winds 52
 Weather 54-55
Low pressure cell 54
Low tides 48-49
Lutetium
 Chemical elements 58
L, wave 47

M

Mackenzie-Peace River
 Rivers 57
 Satellite map 8
Madagascar
 Islands 56
 Satellite map 9
Magma 59
 Earth's crust 12
 Igneous and metamorphic
 rocks 26
 Mountain building 17
 Ocean floor 50-51
 Rock cycle 20
 Volcanoes 18
Magma reservoir
 Igneous rock structures 27
 Volcanic structure 19
Magnesium
 Chemical elements 58
 Earth's composition 7
 Earth's crust 12
 Seawater salt content 48
Magnetic field 6-7
Magnetic poles axis 7
Magnetosphere 6-7
Magnolia 11
Main conduit
 Igneous rock structures 27
 Rock cycle 20
 Volcanic structure 19
Makalu
 Mountains 57
Mammals
 Earth's evolution 10-11
 Fossil record 31
Mammoth Cave System
 Caves 57
Manganese
 Chemical elements 58
 Mineralization zones 55
Mantle 59
 Earth profile 56
 Earthquakes 17
 Earth's crust 12-13
 Planet Earth 6-7
Regional metamorphism 26
Map projections 8-9
Marble 26
Mardalsfossen
 Waterfalls 57
Mariana Trench
 Oceans and seas 56
Marine plants 10
Marine reptiles 11
Marine sediments 52
Mars 6
Marsh 45
Massive habit 24-25
Mato Grosso 8
Meanders
 River features 42
 Rivers 40-41
Mechanical weathering 34
Medial moraine
 Glaciers 58-59
 River's stages 41
Mediterranean Sea
 Oceans and seas 56
 Satellite map 9

- Melting glacier
 - River's stages 41
 - Valley glacier 58
- Meltwater
 - Glaciers 59
 - River's stages 41
- Meltwater pool 58
- Meltwater sediment deposits 58
- Meltwater stream 58
- Mendelevium
 - Chemical elements 58
- Mercury (metal)
 - Chemical elements 58
 - Mineralization zones 55
- Mercury (planet) 6
- Mesa
 - Grand Canyon 29
 - Igneous rock structures 27
 - Weathering and erosion 54
- Mesosphere 52, 59
- Mesozoic era
 - Fossil record 51
 - Geological timescale 11
- Metaliferous muds 51
- Metals 58
- Metamorphic aureole 26
- Metamorphic rocks 26-27, 59
 - Rock cycle 20-21
- Metamorphosed limestone 26
- Metamorphosed shale 26
- Meteor 55
- Meteor Deep
 - Oceans and seas 56
- Meteorites 6
- Mexico
 - Active volcanoes 57
- Mica
 - Metamorphic rocks 26
 - Mineral features 24
- Mid-latitude cyclones 54
- Mid-ocean ridge
 - Mineralization zones 55
 - Ocean floor 50-51
- Midwater current 49
- Milky quartz
 - Colour 25
 - Oxides/hydroxides 22
- Milky Way 6
- Millstone Grit 14
- Milwaukee Deep
 - Oceans and seas 56
- Mineral features 24-25
- Mineral-filled fault 14-15
- Mineralization zones 52-55
- Mineral resources 52-55
- Mineral-rich deposits 50
- Minerals 22-25, 59
 - Fossils 50
 - Mineral features 24-25
 - Mineral resources 52-55
- Mineral spring 19
- Miocene epoch
 - Fossil record 51
 - Geological timescale 11
- Mississippi period 10
- Mississippi Delta 42-45
- Mississippi-Missouri River
 - Rivers 57
 - Satellite map 8
- Mississippi River 45
- Mosasaaurus* 11
- Modern humans 41
- Moenave formation 28
- Moenkopf formation 28
- Mohorovicic discontinuity 7, 59
- Mohs scale 24-25, 59
- Molten rock
 - Igneous and metamorphic rocks 26
 - Ocean floor 50
 - Rock cycle 20
 - Volcanoes 18
- Molybdate 25
- Molybdenum
 - Chemical elements 58
- Mongflossen
 - Waterfalls 57
- Monoclinial fold 14
- Monocline 15
- Monoclinic system 24
- Moon 48-49
- Moraine
 - Glaciers 58-59
 - Lake formation 44-45
- Mould 50
- Mounds 58
- Mountain building 16-17
 - Earth's evolution 10
- Mountain hollows 58
- Mountain lake 40
- Mountain ranges
 - Earth's crust 15
 - Earth's physical features 8
 - Faults and folds 14

- Geological time 10
- Igneous and metamorphic rocks 26
 - Mountain building 16
- Ocean floor 50
- Mountain ridge 47
- Mountains
 - Earth data 57
 - Earth's crust 12
 - Mountain building 16
 - Rock cycle 21
- Mountain spring 40
- Mt. Everest
 - Earth data 56-57
 - Earth's physical features 8
- Mt. McKinley
 - Continents 56
- Mt. Washington
 - Weather 58
- Mt. Wilhelm
 - Continents 56
- Mnax limestone 29
- Mud
 - Sedimentary rock 21
 - Volcanic features 19
- Mud crab 31
- Mud-flat 47
- Mud pools 18-19
- Mud river 50
- Mullion 14-15
- Multicellular soft-bodied animals 10
- Muscovite 25
- Mushroom-shaped rock 34

N

- Namib Desert
 - Deserts 57
 - Satellite map 9
- Nanga Parbat
 - Mountains 57
- Native elements 22
- Natural bridge 42
- Natural lakes 44
- Navajo Mountain 29
- Navajo sandstone 28
- Nazca plate 15
- Near tides 48-49
- Neodymium
 - Chemical elements 58
- Neon
 - Chemical elements 58
- Nepal
 - Mountains 57
- Neptune 6
- Neptunium
 - Chemical elements 58
- New Guinea
 - Islands 56
 - Satellite map 9
- New Zealand
 - Horu Geyser 18
 - Satellite map 9
 - Waterfalls 57
- Niagara Falls
 - Waterfalls 57
- Nickel
 - Chemical elements 58
 - Earth's structure and composition 7
 - Mineralization zones 33
- Nickel-iron 24
- Nimbostratus cloud 54
- Nimbus cloud 54
- Nimrod-Lemox-king Ice Passage
 - Glaciers 58
- Niobium
 - Chemical elements 58
- Nitrogen
 - Atmospheric composition
 - Chemical elements 58
- Nobelium
 - Chemical elements 58
- Noble gases
 - Chemical elements 58
- Nodule fields 51
- Nonconformity 28
- Non-explosive eruptions 18
- Non-metals
 - Chemical elements 58
- North America
 - Appalachian Mountains 16
 - Earth data 56-57
 - Earth's physical features 8
- North American plate 13
- North Atlantic current 48
- North Atlantic Gyre 48
- North-easterly wind 55
- North-east monsoon 49
- North-east trade winds 52

- North Equatorial current 48-49
- Northern Hemisphere 48-49
- North Pacific current 48
- North Pacific Gyre 48
- North Pole
 - Atmospheric circulation and winds 52
 - Coriolis force 49
- North rim 29
- North Sea
 - Oceans and seas 56
- North-westerly wind 55
- Norway
 - Waterfalls 57
- Novaya Zemlya
 - Glaciers 58

- Oasis 35
- Oblique movement 14
- Oblique-slip fault 15
- Obsidian 27
- Occulted fronts 54-55
- Ocean currents 48-49
- Ocean depths 56
- Ocean depth 56
- Ocean floor 50-51
 - Rock cycle 20-21
- Ocean floor features 50-51
- Oceanic crust
 - Earth profile 56
 - Mineralization zones 55
 - Mountain building 16-17
 - Ocean floor 50
 - Plate movements 12
- Ocean ridges 12
- Oceans 48-49
 - Atmosphere 55
 - Earth data 56
- Ocean trenches
 - Earth's crust 12
 - Ocean floor features 51
 - Oceans and seas 56
 - Offshore currents 48
- Offshore deposits 46
- Oil 52-53
- Oil deposit formation 11
- Oil deposits 53
- Oil formation 52-53
- Oil traps 53
- Oligocene epoch
 - Fossil record 51
 - Geological timescale 11
- Olivine
 - Igneous rock 21
 - Silicates 23
- Olivine gabbro 27
- Union-skin weathering 54
- Oxy 22
- Ozeo 50
- Optimisticheskaya
 - Caves 57
- Orange citrine 25
- Orange halite
 - Halides 25
 - Sedimentary rocks 29
- Ordovician period
 - Fossil record 51
 - Geological time 10
- Organic carbon outlines 30
- Organic material deposition 33
- Organic remains
 - Oil and gas formation 52
 - Sedimentary rocks 28-29
- Organic sedimentary rocks 28
- Orogenesis 16, 59
- Orniment 24-25
- Orthoclase
 - Mohs scale 25
 - Silicates 23
- Orthorhombic system 24
- Osmium
 - Chemical elements 58
- Outer core
 - Earth profile 56
 - Planet Earth 6-7
- Outwash fan 38
- Outwash plain 39
- Outwash terrace 38
- Overthrust fold 15
- Overturned fold 15
- Oxbow lake 45
 - River features 42
 - River's stages 41
- Oxides 22
- Oxygen
 - Atmospheric composition 53
 - Chemical elements 58

Earth's composition 7
Earth's crust 12
Oyashio current 49
Ozernaya
Caves 57
Ozone layer 52

P

Pacific coastline 47
Pacific Ocean
Earth's physical features 8-9
Oceans and seas 56
Volcanoes 18
Pacific plate 15
Pack-ice 48
Pahoehoe 18
Painted Desert 29
Pakistan
Mountains 57
Palaeocene epoch
Fossil record 51
Geological timescale 11
Palaeontology 50
Palaeozoic era
Fossil record 51
Geological time 10-11
Pale calcite 26
Pale feldspar 26
Palladium
Chemical elements 58
Pamirs 9
Pampas 8
Pangaea 12-15
Parabolic dune 55
Paraguay
Waterfalls 57
Parallel dunes 55
Parallel river drainage 40
Parana River 8
Parasitic cone 18-19
Parasitic volcano 27
Passages 56-57
Patagonia 8
Patos-Maribondo Falls
Waterfalls 57
Paulo Afonso Falls
Waterfalls 57
Pavlovka 50
Peat 52
Pedicule valve 50
Pegmatite 26
Pelagic clay 51
Peninsular Valdez
Continents 56
Pennsylvanian period 10
Percolation 52
Period 59
Fossil record 51
Geological time 10-11
Permeable gravel 44
Permeable limestone
Caves 56-57
Lake formation 44
Permeable rock
Lake formation 44
Permeable sandstone 44
Permian period
Fossil record 51
Geological time 11
Perm current 48
Petermanns Gletscher
Glaciers 58
Phanerozoic eon 51
Philippine plate 15
Philippine Trench
Oceans and seas 56
Phosphates 25
Phosphorus
Chemical elements 58
Physical features 8-9
Physical weathering 54
Pillow lava 50
Pinch-out 55
Pink Cliffs 28
Pipe Spring 28
Plagioclase feldspar 27
Placer deposits 52
Planet Earth 6-7
Planets 6
Plant matter 52
Plant remains
Fossils 50-51
Mineral resources 52
Sedimentary rocks 28
Plants
Earth's evolution 10
Fossil record 51
Plateaus 28-29
Plate boundaries
Earth's crust 15
Mountain building 16
Volcano locations 19

Plate movements
Earth's crust 12-15
Faults and folds 14
Mountain building 16-17
Plates 12-15
Plate tectonics 12-15, 50
Platinum
Chemical elements 58
Plava 55
Pleistocene epoch
Fossil record 51
Geological timescale 11
Pliocene epoch
Fossil record 51
Geological timescale 11
Plugs 18-19
Igneous rock structures 26
Plunge 14
Plunge pool
River's stages 41
Waterfall features 45
Pluto 6
Plutonium
Chemical elements 58
Pont bar
Mississippi Delta 45
River's stages 41
Polar bottom water 48
Polar circumference 56
Polar diameter 56
Polar easterlies 52
Polar fronts 54
Polar jet stream 52
Poles
Atmospheric circulation and winds 52
Coordinate system 6
Coriolis force 49
Polonium
Chemical elements 58
Porous limestone 56
Porphyritic andesite 27
Post-glacial stream 58
Post-glacial valley 58
Potassium
Chemical elements 58
Earth's crust 12
Seawater salt content 48
Potholes 56
Praseodymium
Chemical elements 58
Precambrian time
Fossil record 51
Geological time 10
Precipitation 59
Water cycle 40
Weather 54-55
Preserved remains 50
Preserved traces 50
Pressure
Igneous and metamorphic rocks 26
Mineral resources 52
Volcanic features 19
Primates 51
Prismatic fault 25
Promethium
Chemical elements 58
Protactinium
Chemical elements 58
Proterozoic eon 51
Puerto Rico Trench
Oceans and seas 56
Purice 27
Purice
Active volcanoes 57
Push moraine 58
P wave 17
P wave shadow zone 17
Pyrenees 9
Pyrites 22
Intrusive igneous rocks 27
Pyroclasts 18, 59
Pyromorphite 25
Pyroxene 21

Radon
Chemical elements 58
Rain 54
Rain erosion 46
Rainfall 58
Rainwater
Caves 56
Weathering and erosion 54
Raised beach 47
Rapids
River features 42
River's stages 41
Recharge area 44
Recovery Glacier
Glaciers 58
Rectangular river drainage 40
Reinforced fold 15
Red-brown crocodile 25
Red sandstone 29
Red Sea
Oceans and seas 56
Redwall limestone 29
Regional metamorphism 26
Regional weather 54
Reptiles
Earth's evolution 11
Fossil record 51
Re-radiated heat 52-55
Rescan Jean Bernard
Caves 57
Resurgence 56-57
Retreating glacier 58
Rhinium
Chemical elements 58
Rhodium
Chemical elements 58
Rhyolite 26-27
Rhyolitic lava 18
Rubicon Falls
Waterfalls 57
Rubicon Lake 59
Richter scale 58
Ridge formation 42
Ridges 58-59
Ruhs
Earth's crust 12
Faults and folds 14-15
Ruft valleys
Earth's crust 12
Lake formation 44-45
Rugid rock
Faults and folds 14
Run dyke 26
"Ring of Fire" 18
Rising air
Atmospheric circulation and winds 52
Precipitation 54
Rising land 46
River Amur
Rivers 57
Satellite map 9
River banks
River features 42
River's stages 41
River bed 41
River capture 40
River cliff
River features 42
River's stages 41
River Congo
Rivers 57
Satellite map 9
River course 40
River development 41
River drainage patterns 40
River features 42-45
River flow 42
River Ganges 40
River Jordan 45
River Lena
Rivers 57
Satellite map 9
River Mekong 9
River-mouth 42
River Nile
Earth's physical features 8-9
Rivers 57
River Ob-Irtysk
Rivers 57
Satellite map 9
Rivers 40-41
Earth data 57
Earth's physical features 8
River features 42-45
Rock cycle 20-21
Weathering and erosion 54
River source
River features 42
Rivers 40
River's stages 40-41
River terrace 42-45

Q

Quartz
Colour 25
Metamorphic rock 21
Oxides/hydroxides 22
Quaternary period
Fossil record 51
Geological time 11

R

Radial river drainage 40
Radiation 6
Radium
Chemical elements 58

Radon
Chemical elements 58
Rain 54
Rain erosion 46
Rainfall 58
Rainwater
Caves 56
Weathering and erosion 54
Raised beach 47
Rapids
River features 42
River's stages 41
Recharge area 44
Recovery Glacier
Glaciers 58
Rectangular river drainage 40
Reinforced fold 15
Red-brown crocodile 25
Red sandstone 29
Red Sea
Oceans and seas 56
Redwall limestone 29
Regional metamorphism 26
Regional weather 54
Reptiles
Earth's evolution 11
Fossil record 51
Re-radiated heat 52-55
Rescan Jean Bernard
Caves 57
Resurgence 56-57
Retreating glacier 58
Rhinium
Chemical elements 58
Rhodium
Chemical elements 58
Rhyolite 26-27
Rhyolitic lava 18
Rubicon Falls
Waterfalls 57
Rubicon Lake 59
Richter scale 58
Ridge formation 42
Ridges 58-59
Ruhs
Earth's crust 12
Faults and folds 14-15
Ruft valleys
Earth's crust 12
Lake formation 44-45
Rugid rock
Faults and folds 14
Run dyke 26
"Ring of Fire" 18
Rising air
Atmospheric circulation and winds 52
Precipitation 54
Rising land 46
River Amur
Rivers 57
Satellite map 9
River banks
River features 42
River's stages 41
River bed 41
River capture 40
River cliff
River features 42
River's stages 41
River Congo
Rivers 57
Satellite map 9
River course 40
River development 41
River drainage patterns 40
River features 42-45
River flow 42
River Ganges 40
River Jordan 45
River Lena
Rivers 57
Satellite map 9
River Mekong 9
River-mouth 42
River Nile
Earth's physical features 8-9
Rivers 57
River Ob-Irtysk
Rivers 57
Satellite map 9
Rivers 40-41
Earth data 57
Earth's physical features 8
River features 42-45
Rock cycle 20-21
Weathering and erosion 54
River source
River features 42
Rivers 40
River's stages 40-41
River terrace 42-45

River valley 40, 41, 42
River Zaire
Rivers 57
Roches moutonnees 58
Rock crystal 25
Rock cycle 20-21, 59
Rock debris 47
Rock deformities 14-15
Rock erosion 54
Rock fracture 14
Rock groundmass 25
Rock layer
Caves 56
Faults and folds 14
Rock lip
Carque formation 59
Tarn lake 15
Rock mounds 58
Rock particles 20-21
Rock pavement 54-55
Rock pedestal 54-55
Rock prisms 15
Rocks 59
Faults and folds 11, 15
Fossils 50-51
Igneous and metamorphic rocks 26-27
Mineral resources 52
Minerals 22
Rock cycle 20-21
Sedimentary rocks 28
Weathering and erosion 54
Rock salt
Halides 25
Sedimentary rocks 28-29
Rock scar 56
Rock strata
Faults and folds 14
Fossils 50
Rocky Mountains 8
Root growth 54
Rose quartz 25
Rough waves 52
Rubidium
Chemical elements 58
Ruiz
Active volcanoes 57
Russia
Earth data 57-58
Ruthenium
Chemical elements 58
Rutherfordium-Kurchatovium
Chemical elements 58

S

Sahara
Deserts 57
Earth's physical features 8-9
Salt
Dead Sea 45
Seawater salt content 48
Salt-dome trap 55
Salt groundmass 29
Salt lakes 44
Samarium
Chemical elements 58
San Andreas fault
Earth's crust 12
Mountain building 16-17
Sand bars 42
Sand dunes
Rock cycle 21
Weathering and erosion 54-55
Sand groundmass 29
Sandstone 28
Sand wave 51
Sandy deposits 50
Sandy spit 47
Sangay
Active volcanoes 57
Satellite 8
Satellite map 8-9
Saturated zone 44-45
Saturn 6
Scallop 50
Scandium
Chemical elements 58
Schist 26
Scoria 19
Scorpion 50
Scree 54-55
Sea
Anticline trap 55
Fossils 50
Hurricane structure 55
River features 42-45
Seabed
Fossils 50
Ocean floor 50

River features 42
Rivers 10
Seabed profile 51
Sea cave 47
Sea cliff 46-47
River features 15
Sea creature remains 50
Sea floor 12
Sea floor spreading 59
Sea level variations 46
Seamounts 50
Sea of Japan
Oceans and seas 56
Satellite map 9
Oceans and seas 56
Seas 48-49
Earth data 56
Igneous and metamorphic rocks 27
Rivers 40
Satellite map 9
Sea temperature 55
Seawater
River features 42
Salt content 48
Secondary conduit 18-19
Rock cycle 20
Sediment
Coastlines 46-47
Fossils 50
Glaciers 58-59
Lakes 44
Mineral resources 52
Mountain building 16-17
Ocean floor 50-51
River features 42-45
Rivers 40
Rock cycle 20-21
Sedimentary rocks 28-29, 59
Igneous and metamorphic rocks 26
Rock cycle 20-21
Sediment bar 42
Sediment plume 45
Seed fern 50
Seil dune 55
Seismic activity 12
Selenite 24
Selenium
Chemical elements 58
Semi-rigid plates 12
Sevier fault 28
Shakta Pantukluna
Caves 57
Shale
Contact metamorphism 26
Grand Canyon 29
Shallow flats 45
Shearing 15
Shell formation 51
Shell 50
Shelled invertebrates 10
Shell-like fracture 24
Shelf limestone 24
Shinarump member 28
Shinnu quartzite 29
Shock waves 17
Shoreline
Coastlines 46
Continental shelf floor 50
Siderite band 29
Sideways erosion
River features 42
Rivers 40
Sierra Madre 8
Sierra Nevada 11
Silicate material crust 7
Silicates 25
Siliciclastic ooze 51
Sihon
Chemical elements 58
Earth's composition 7
Earth's crust 12
Sills 26
Silurian period
Fossil record 51
Geological time 10
Silver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27

Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25
Sinistral strike-slip fault 15
Sink holes 56-57
Sinking land 16
Sistema del Trave
Caves 57
Skarn 26
Slate 26
Slate with pyrites 27
Sliver
Chemical elements 58
Mineral resources 52-55
Minerals 22
Streak 25
Silver indolite 25

Z
Zaire
 Satellite map 9
 Waterfalls 57
Zeugen 34
Zimbabwe
 Waterfalls 57
Zinc
 Chemical elements 58
 Mineralization zones 33
Zion Canyon 28
Zirconium
 Chemical elements 58

EYEWITNESS VISUAL DICTIONARIES

THE VISUAL
DICTIONARY *of the*

EARTH

Come and explore THE EARTH from the inside out! This visual dictionary looks at the inner workings of the Earth, including volcanoes, caves, rivers and seas, the atmosphere and weather, and much more.

Open these pages and find:

Over 200 outstanding photographs
and graphic illustrations.

A fascinating new kind of dictionary that can be
used by the entire family.

Concise text and carefully researched definitions that
are user-friendly for people of all ages.

Instant access to a 5,000 word specialist vocabulary.

EYEWITNESS VISUAL DICTIONARIES

are the ultimate finder's guides to the naming of the parts. See, learn, discover, and identify all the parts of all the things in the world about you. From the tiniest cogs of machines to the smallest cells of living creatures, the most intricate workings of everything are revealed and labelled in full-colour clarity.

OTHER TITLES IN THIS SERIES:

Everyday Things • Human Body • Ships and Sailing • Animals • Plants • Cars
Military Uniforms • Buildings • Flight • Dinosaurs • Special Military Forces • Universe



DORLING KINDERSLEY

ISBN 0-7513-1035-2



9 780751 310351 >